

Price in INR/ GST extra

Size	Price	Size	Price	Size	Price	Size	Price	Size	Price
A 17	152.00	A 37	214.00	A 57	279.00	A 77	373.00	A 97	534.00
A 18	153.00	A 38	216.00	A 58	282.00	A 78	375.00	A 98	535.00
A 19	156.00	A 39	218.00	A 59	284.00	A 79	377.00	A 100	550.00
A 20	157.00	A 40	222.00	A 60	287.00	A 80	391.00	A 102	564.00
A 21	160.00	A 41	225.00	A 61	296.00	A 81	397.00	A 105	580.00
A 22	160.00	A 42	228.00	A 62	298.00	A 82	401.00	A 107	592.00
A 23	161.00	A 43	233.00	A 63	299.00	A 83	405.00	A 108	596.00
A 24	164.00	A 44	238.00	A 64	303.00	A 84	411.00	A 110	613.00
A 25	165.00	A 45	242.00	A 65	324.00	A 85	415.00	A 112	624.00
A 26	168.00	A 46	246.00	A 66	334.00	A 86	453.00	A 116	651.00
A 27	168.00	A 47	249.00	A 67	335.00	A 87	457.00	A 118	658.00
A 28	172.00	A 48	253.00	A 68	337.00	A 88	460.00	A 120	665.00
A 29	174.00	A 49	258.00	A 69	345.00	A 89	464.00	A 122	673.00
A 30	175.00	A 50	260.00	A 70	346.00	A 90	475.00	A 130	738.00
A 31	188.00	A 51	262.00	A 71	350.00	A 91	494.00	A 136	765.00
A 32	190.00	A 52	265.00	A 72	353.00	A 92	499.00	A 140	778.00
A 33	194.00	A 53	268.00	A 73	355.00	A 93	507.00	A 180	948.00
A 34	195.00	A 54	269.00	A 74	363.00	A 94	513.00		
A 35	204.00	A 55	270.00	A 75	366.00	A 95	522.00		
A 36	212.00	A 56	274.00	A 76	369.00	A 96	529.00		
A									
B 20	204.00	B 48.5	320.00	B 77	498.00	B 106	786.00	B 150	1,153.00
B 21	210.00	B 49	321.00	B 78	500.00	B 107	798.00	B 152	1,182.00
B 22	214.00	B 50	325.00	B 79	507.00	B 108	806.00	B 154	1,193.00
B 23	217.00	B 51	334.00	B 80	514.00	B 110	823.00	B 156	1,203.00
B 24	219.00	B 52	336.00	B 81	536.00	B 112	846.00	B 158	1,216.00
B 25	224.00	B 53	340.00	B 82	540.00	B 113	866.00	B 160	1,227.00
B 26	226.00	B 54	343.00	B 83	548.00	B 114	870.00	B 162	1,242.00
B 27	229.00	B 55	353.00	B 84	552.00	B 115	878.00	B 165	1,264.00
B 28	234.00	B 56	359.00	B 85	559.00	B 116	886.00	B 168	1,283.00
B 29	239.00	B 57	362.00	B 86	605.00	B 117	892.00	B 169	1,291.00
B 30	244.00	B 58	365.00	B 87	613.00	B 118	902.00	B 170	1,295.00
B 31	253.00	B 59	370.00	B 88	620.00	B 120	912.00	B 173	1,310.00
B 32	255.00	B 60	375.00	B 89	627.00	B 122	926.00	B 175	1,323.00
B 33	257.00	B 61	379.00	B 90	636.00	B 123	927.00	B 178	1,334.00
B 34	261.00	B 62	383.00	B 91	675.00	B 124	934.00	B 180	1,339.00
B 35	262.00	B 63	386.00	B 92	683.00	B 126	939.00	B 185	1,387.00
B 36	264.00	B 64	390.00	B 93	694.00	B 128	948.00	B 190	1,428.00
B 37	265.00	B 65	423.00	B 94	703.00	B 130	973.00	B 195	1,481.00
B 38	266.00	B 66	444.00	B 95	713.00	B 132	987.00	B 205	1,533.00
B 39	268.00	B 67	449.00	B 96	718.00	B 134	1,001.00	B 210	1,561.00
B 40	272.00	B 68	450.00	B 97	727.00	B 135	1,013.00	B 215	1,595.00
B 41	281.00	B 69	457.00	B 98	733.00	B 136	1,017.00	B 220	1,625.00
B 42	285.00	B 70	459.00	B 99	735.00	B 138	1,034.00	B 238	1,761.00
B 43	287.00	B 71	469.00	B 100	742.00	B 140	1,061.00	B 275	2,031.00
B 44	291.00	B 72	472.00	B 101	753.00	B 142	1,081.00	B 285	2,327.00
B 45	293.00	B 73	480.00	B 102	758.00	B 144	1,096.00	B 300	2,327.00
B 46	308.00	B 74	485.00	B 103	764.00	B 145	1,106.00	B 310	2,327.00
B 47	313.00	B 75	489.00	B 104	770.00	B 146	1,117.00	B 315	2,327.00
B 48	318.00	B 76	491.00	B 105	781.00	B 148	1,135.00		
B									

OUR PRODUCT RANGE



CONTI-V® STANDARD
Wrapped V-belts
DIN 2215 DIN 7753 Part 1
BS 3790 / ISO 41 84 IS 2494 Part 1



CONTI VARISPEED®
Variator Belts



CONTI-V MULTIRIB®
V-ribbed belts



CONTI-V® ADVANCE
Heavy-duty cogged
Raw edge V-belts
DIN 7753 Part 1 DIN 2215
BS 3790



CONTI SYNCHROBELT®
Timing Belts



CONTI-V® MULTIBELT
Banded V-belts

* Prices for above ranges available on request

Price in INR/ GST extra

	Size	Price	Size	Price	Size	Price	Size	Price	Size	Price	
C	C 36	414.00	C 70	688.00	C 99	1096.00	C 134	1456.00	C 190	1908.00	
	C 38	418.00	C 71	693.00	C 100	1111.00	C 135	1468.00	C 192	1933.00	
	C 40	422.00	C 72	701.00	C 101	1123.00	C 136	1483.00	C 195	1969.00	
	C 41	427.00	C 73	710.00	C 102	1147.00	C 138	1507.00	C 196	1982.00	
	C 45	454.00	C 74	718.00	C 103	1162.00	C 140	1525.00	C 200	2030.00	
	C 46	480.00	C 75	724.00	C 104	1176.00	C 142	1542.00	C 204	2076.00	
	C 47	485.00	C 76	731.00	C 105	1193.00	C 144	1551.00	C 205	2084.00	
	C 48	488.00	C 77	740.00	C 106	1197.00	C 145	1560.00	C 210	2135.00	
	C 49	490.00	C 78	750.00	C 107	1199.00	C 146	1561.00	C 215	2186.00	
	C 50	495.00	C 79	764.00	C 108	1213.00	C 148	1569.00	C 220	2233.00	
	C 51	504.00	C 80	774.00	C 109	1231.00	C 150	1581.00	C 225	2281.00	
	C 52	508.00	C 81	804.00	C 110	1243.00	C 152	1592.00	C 228	2310.00	
	C 53	512.00	C 82	808.00	C 111	1252.00	C 154	1602.00	C 230	2331.00	
	C 54	518.00	C 83	818.00	C 112	1267.00	C 156	1611.00	C 235	2386.00	
	C 55	523.00	C 84	825.00	C 113	1279.00	C 158	1618.00	C 238	2421.00	
	C 56	549.00	C 85	832.00	C 114	1284.00	C 160	1632.00	C 240	2441.00	
	C 57	554.00	C 86	845.00	C 115	1288.00	C 164	1652.00	C 245	2495.00	
	C 58	558.00	C 87	856.00	C 116	1296.00	C 165	1659.00	C 248	2520.00	
	C 59	570.00	C 88	876.00	C 117	1297.00	C 166	1662.00	C 250	2536.00	
	C 60	575.00	C 89	895.00	C 118	1302.00	C 168	1718.00	C 255	2587.00	
	C 61	591.00	C 90	913.00	C 120	1308.00	C 170	1723.00	C 258	2614.00	
	C 62	593.00	C 91	959.00	C 122	1317.00	C 172	1726.00	C 260	2632.00	
	C 63	599.00	C 92	980.00	C 124	1328.00	C 173	1732.00	C 268	2721.00	
	C 64	604.00	C 93	998.00	C 125	1338.00	C 174	1749.00	C 280	2844.00	
	C 65	644.00	C 94	1023.00	C 126	1349.00	C 175	1761.00	C 285	2894.00	
	C 66	662.00	C 95	1039.00	C 128	1382.00	C 176	1769.00	C 290	2957.00	
	C 67	666.00	C 96	1049.00	C 130	1407.00	C 178	1782.00	C 298	3034.00	
	C 68	671.00	C 97	1066.00	C 132	1431.00	C 180	1800.00	C 328	3369.00	
	C 69	679.00	C 98	1083.00	C 133	1444.00	C 185	1853.00	C 358	3716.00	
D	D 75	1820.00	D 115	2240.00	D 150	3121.00	D 210	4295.00	D 298	6270.00	
	D 80	1820.00	D 116	2249.00	D 158	3121.00	D 220	4491.00	D 314	6289.00	
	D 85	2008.00	D 118	2316.00	D 162	3192.00	D 225	4584.00	D 328	6539.00	
	D 88	2008.00	D 120	2340.00	D 168	3285.00	D 230	4736.00	D 358	7161.00	
	D 90	2008.00	D 128	2465.00	D 172	3374.00	D 238	4949.00	D 390	8763.00	
	D 95	2008.00	D 130	2539.00	D 173	3399.00	D 250	5189.00	D 418	9354.00	
	D 98	2053.00	D 132	2577.00	D 175	3435.00	D 255	5284.00	D 440	10070.00	
	D 100	2053.00	D 134	2615.00	D 180	3531.00	D 260	5414.00	D 450	10070.00	
	D 105	2203.00	D 135	2790.00	D 185	3631.00	D 268	5618.00			
	D 110	2203.00	D 138	2790.00	D 190	3836.00	D 280	5859.00			
	D 112	2203.00	D 140	2790.00	D 195	3947.00	D 285	5965.00			
	D 114	2230.00	D 144	2790.00	D 204	4155.00	D 290	6069.00			
	E	E 180	6236.00	E 278	10289.00	E 298	10489.00	E 408	14791.00	E 478	16700.00
		E 195	6768.00	E 282	10289.00	E 328	11542.00	E 418	14791.00	E 524	18956.00
E 238		8330.00	E 290	10289.00	E 358	12583.00	E 430	16700.00	E 526	18956.00	
E 268		9446.00	E 292	10289.00	E 394	14209.00	E 436	16700.00	E 538	18956.00	
AA BB	AA 96	646.00	BB 82	590.00	BB 90	756.00	BB 98	825.00	BB 120	1016.00	
	AA 118	865.00	BB 83	625.00	BB 92	769.00	BB 100	854.00	BB 122	1071.00	
	BB 70	516.00	BB 84	666.00	BB 94	786.00	BB 105	890.00	BB 128	1071.00	
	BB 75	550.00	BB 85	708.00	BB 95	798.00	BB 108	918.00			
	BB 80	583.00	BB 88	751.00	BB 96	812.00	BB 109	928.00			
F H P	FHP 2170	76.00	FHP 2245	89.00	FHP 2310	98.00	FHP 2370	101.00	FHP 2440	119.00	
	FHP 2180	78.00	FHP 2250	89.00	FHP 2320	99.00	FHP 2375	103.00	FHP 2470	122.00	
	FHP 2190	79.00	FHP 2260	95.00	FHP 2330	99.00	FHP 2380	105.00	FHP 2480	122.00	
	FHP 2200	83.00	FHP 2270	96.00	FHP 2334	100.00	FHP 2390	106.00	FHP 2490	123.00	
	FHP 2210	85.00	FHP 2275	96.00	FHP 2340	100.00	FHP 2395	106.00	FHP 2500	123.00	
	FHP 2220	86.00	FHP 2280	97.00	FHP 2350	100.00	FHP 2400	108.00	FHP 2664	144.00	
	FHP 2230	88.00	FHP 2290	97.00	FHP 2355	100.00	FHP 2410	113.00			
	FHP 2240	89.00	FHP 2300	98.00	FHP 2360	101.00	FHP 2420	116.00			

Terms:

1. The above recommended retail prices are inclusive of central excise duty. 3. Prices are subject to revision without notice.
2. VAT/LST/CST/LEVIES as may be applicable will be charged extra. 4. Dealers are free to sell at lower prices.

Price in INR/ GST extra

	Size	Price	Size	Price	Size	Price	Size	Price	Size	Price
S P A	SPA 732	243.00	SPA 1207	369.00	SPA 1600	467.00	SPA 2020	569.00	SPA 2682	731.00
	SPA 782	252.00	SPA 1232	373.00	SPA 1632	474.00	SPA 2057	579.00	SPA 2720	742.00
	SPA 800	275.00	SPA 1250	379.00	SPA 1650	483.00	SPA 2082	586.00	SPA 2732	744.00
	SPA 850	287.00	SPA 1280	387.00	SPA 1657	483.00	SPA 2120	596.00	SPA 2782	757.00
	SPA 875	293.00	SPA 1282	387.00	SPA 1682	488.00	SPA 2132	597.00	SPA 2800	758.00
	SPA 882	294.00	SPA 1300	390.00	SPA 1700	489.00	SPA 2180	609.00	SPA 2832	769.00
	SPA 900	296.00	SPA 1307	392.00	SPA 1732	497.00	SPA 2182	610.00	SPA 2882	778.00
	SPA 932	301.00	SPA 1320	394.00	SPA 1750	501.00	SPA 2207	619.00	SPA 2900	783.00
	SPA 950	302.00	SPA 1337	400.00	SPA 1757	503.00	SPA 2240	625.00	SPA 2932	795.00
	SPA 967	307.00	SPA 1350	406.00	SPA 1782	509.00	SPA 2282	636.00	SPA 2982	799.00
	SPA 982	311.00	SPA 1382	413.00	SPA 1800	513.00	SPA 2300	637.00	SPA 3000	809.00
	SPA 1000	313.00	SPA 1400	414.00	SPA 1832	524.00	SPA 2332	647.00	SPA 3030	819.00
	SPA 1032	319.00	SPA 1432	420.00	SPA 1850	526.00	SPA 2360	650.00	SPA 3082	825.00
	SPA 1060	325.00	SPA 1450	429.00	SPA 1857	527.00	SPA 2382	658.00	SPA 3150	846.00
	SPA 1082	333.00	SPA 1457	431.00	SPA 1882	534.00	SPA 2432	672.00	SPA 3350	900.00
	SPA 1107	338.00	SPA 1482	436.00	SPA 1900	536.00	SPA 2500	687.00	SPA 3550	947.00
	SPA 1120	340.00	SPA 1500	440.00	SPA 1932	545.00	SPA 2532	693.00	SPA 3750	1003.00
	SPA 1132	343.00	SPA 1532	449.00	SPA 1950	550.00	SPA 2582	702.00	SPA 4000	1075.00
SPA 1150	352.00	SPA 1550	457.00	SPA 1957	554.00	SPA 2607	716.00	SPA 4250	1144.00	
SPA 1157	353.00	SPA 1557	465.00	SPA 1982	559.00	SPA 2632	718.00	SPA 4500	1206.00	
SPA 1180	360.00	SPA 1582	467.00	SPA 2000	565.00	SPA 2650	721.00			
S P B	SPB 1125	478.00	SPB 1900	693.00	SPB 2840	1109.00	SPB 3825	1515.00	SPB 5680	2226.00
	SPB 1250	478.00	SPB 2000	730.00	SPB 2900	1132.00	SPB 4000	1580.00	SPB 6000	2375.00
	SPB 1320	503.00	SPB 2120	814.00	SPB 3000	1170.00	SPB 4060	1609.00	SPB 6300	2494.00
	SPB 1400	536.00	SPB 2150	832.00	SPB 3150	1238.00	SPB 4250	1688.00	SPB 6700	2660.00
	SPB 1500	552.00	SPB 2180	843.00	SPB 3350	1314.00	SPB 4310	1711.00	SPB 7100	2818.00
	SPB 1550	575.00	SPB 2240	868.00	SPB 3450	1352.00	SPB 4500	1786.00	SPB 7500	2978.00
	SPB 1600	593.00	SPB 2285	883.00	SPB 3550	1391.00	SPB 4560	1809.00	SPB 8000	3177.00
	SPB 1650	602.00	SPB 2360	912.00	SPB 3650	1437.00	SPB 4750	1885.00	SPB 9000	3626.00
	SPB 1700	613.00	SPB 2500	968.00	SPB 3675	1450.00	SPB 5000	1979.00		
	SPB 1800	654.00	SPB 2650	1030.00	SPB 3750	1472.00	SPB 5300	2100.00		
	SPB 1860	675.00	SPB 2800	1090.00	SPB 3800	1496.00	SPB 5600	2216.00		
	S P C	SPC 2000	1260.00	SPC 3000	1889.00	SPC 4250	2673.00	SPC 6000	3781.00	SPC 9000
SPC 2120		1336.00	SPC 3150	1983.00	SPC 4400	2766.00	SPC 6300	3970.00	SPC 9500	5992.00
SPC 2240		1409.00	SPC 3350	2108.00	SPC 4500	2833.00	SPC 6700	4225.00	SPC 10000	6313.00
SPC 2360		1486.00	SPC 3550	2235.00	SPC 4750	2989.00	SPC 7100	4478.00	SPC 10600	6695.00
SPC 2500		1577.00	SPC 3750	2361.00	SPC 5000	3148.00	SPC 7500	4722.00	SPC 11200	7071.00
SPC 2650		1670.00	SPC 3800	2389.00	SPC 5300	3338.00	SPC 8000	5047.00		
SPC 2800		1761.00	SPC 4000	2520.00	SPC 5600	3529.00	SPC 8500	5361.00		
S P Z		SPZ 512	152.00	SPZ 900	198.00	SPZ 1250	262.00	SPZ 1550	316.00	SPZ 2037
	SPZ 562	152.00	SPZ 950	206.00	SPZ 1262	264.00	SPZ 1562	320.00	SPZ 2120	420.00
	SPZ 587	152.00	SPZ 962	216.00	SPZ 1270	265.00	SPZ 1587	321.00	SPZ 2187	432.00
	SPZ 612	161.00	SPZ 987	217.00	SPZ 1287	272.00	SPZ 1600	327.00	SPZ 2240	444.00
	SPZ 630	162.00	SPZ 1000	218.00	SPZ 1320	276.00	SPZ 1637	334.00	SPZ 2287	450.00
	SPZ 662	164.00	SPZ 1012	220.00	SPZ 1337	279.00	SPZ 1650	335.00	SPZ 2360	462.00
	SPZ 670	167.00	SPZ 1024	222.00	SPZ 1340	280.00	SPZ 1662	337.00	SPZ 2410	477.00
	SPZ 687	168.00	SPZ 1047	225.00	SPZ 1347	281.00	SPZ 1687	341.00	SPZ 2500	488.00
	SPZ 710	171.00	SPZ 1060	227.00	SPZ 1362	287.00	SPZ 1700	343.00	SPZ 2540	501.00
	SPZ 737	173.00	SPZ 1077	229.00	SPZ 1387	289.00	SPZ 1737	352.00	SPZ 2650	516.00
	SPZ 750	173.00	SPZ 1080	231.00	SPZ 1400	291.00	SPZ 1750	353.00	SPZ 2800	542.00
	SPZ 762	176.00	SPZ 1087	232.00	SPZ 1412	294.00	SPZ 1762	356.00	SPZ 2840	545.00
	SPZ 772	176.00	SPZ 1112	237.00	SPZ 1420	296.00	SPZ 1787	360.00	SPZ 3000	578.00
	SPZ 780	178.00	SPZ 1120	238.00	SPZ 1437	300.00	SPZ 1800	364.00	SPZ 3150	607.00
	SPZ 787	184.00	SPZ 1137	242.00	SPZ 1450	301.00	SPZ 1837	366.00	SPZ 3350	644.00
	SPZ 800	185.00	SPZ 1150	247.00	SPZ 1462	303.00	SPZ 1850	368.00	SPZ 3370	648.00
	SPZ 812	186.00	SPZ 1162	249.00	SPZ 1487	308.00	SPZ 1900	382.00	SPZ 3550	684.00
	SPZ 825	188.00	SPZ 1180	252.00	SPZ 1500	312.00	SPZ 1937	387.00	SPZ 3960	852.00
	SPZ 837	192.00	SPZ 1200	254.00	SPZ 1512	313.00	SPZ 1950	391.00		
	SPZ 850	193.00	SPZ 1202	254.00	SPZ 1520	314.00	SPZ 1987	399.00		
SPZ 875	198.00	SPZ 1237	256.00	SPZ 1537	316.00	SPZ 2000	400.00			
8 V	8V 1000	2894.00	8V 1400	4067.00	8V 2000	5798.00	8V 2800	8128.00	8V 4000	11620.00
	8V 1060	3072.00	8V 1500	4351.00	8V 2120	6148.00	8V 3000	8707.00	8V 4250	12330.00
	8V 1120	3249.00	8V 1600	4645.00	8V 2240	6494.00	8V 3150	9139.00		
	8V 1180	3423.00	8V 1700	4937.00	8V 2360	6856.00	8V 3350	9717.00		
	8V 1250	3622.00	8V 1800	5222.00	8V 2500	7249.00	8V 3550	10304.00		
	8V 1320	3826.00	8V 1900	5514.00	8V 2650	7690.00	8V 3750	10882.00		

Price in INR/ GST extra

	Size	Price	Size	Price	Size	Price	Size	Price	Size	Price	
A X	AX 26	254.00	AX 37	323.00	AX 48	376.00	AX 59	414.00	AX 72	467.00	
	AX 28	266.00	AX 38	324.00	AX 49	379.00	AX 60	429.00	AX 74	480.00	
	AX 29	267.00	AX 39	325.00	AX 50	383.00	AX 61	430.00	AX 75	481.00	
	AX 30	270.00	AX 40	330.00	AX 51	384.00	AX 62	434.00	AX 76	492.00	
	AX 31	275.00	AX 41	334.00	AX 52	388.00	AX 64	438.00	AX 78	500.00	
	AX 32	279.00	AX 43	349.00	AX 54	398.00	AX 65	442.00	AX 80	513.00	
	AX 33	288.00	AX 44	353.00	AX 55	400.00	AX 66	443.00	AX 82	526.00	
	AX 34	290.00	AX 45	357.00	AX 56	401.00	AX 67	446.00	AX 85	543.00	
	AX 35	307.00	AX 46	360.00	AX 57	403.00	AX 68	449.00			
	AX 36	313.00	AX 47	365.00	AX 58	405.00	AX 70	460.00			
	B X	BX 26	346.00	BX 40	417.00	BX 53	557.00	BX 66	644.00	BX 80	749.00
		BX 28	353.00	BX 41	437.00	BX 54	576.00	BX 67	653.00	BX 82	764.00
		BX 29	360.00	BX 42	442.00	BX 55	578.00	BX 68	659.00	BX 84	797.00
BX 30		370.00	BX 43	449.00	BX 56	582.00	BX 69	669.00	BX 85	797.00	
BX 31		378.00	BX 44	457.00	BX 57	582.00	BX 70	673.00	BX 86	893.00	
BX 32		383.00	BX 45	466.00	BX 58	589.00	BX 71	683.00	BX 87	893.00	
BX 33		384.00	BX 46	507.00	BX 59	606.00	BX 72	691.00	BX 88	893.00	
BX 34		387.00	BX 47	509.00	BX 60	607.00	BX 73	695.00	BX 89	893.00	
BX 35		387.00	BX 48	525.00	BX 61	618.00	BX 74	704.00	BX 90	893.00	
BX 36		392.00	BX 49	528.00	BX 62	618.00	BX 75	710.00	BX 95	958.00	
BX 37		398.00	BX 50	532.00	BX 63	622.00	BX 76	720.00	BX 100	1056.00	
BX 38		401.00	BX 51	545.00	BX 64	631.00	BX 77	741.00	BX 105	1071.00	
BX 39		405.00	BX 52	549.00	BX 65	637.00	BX 78	741.00	BX 120	1227.00	
C X	CX 37	620.00	CX 52	939.00	CX 68	1207.00	CX 78	1385.00	CX 92	1882.00	
	CX 38	669.00	CX 55	996.00	CX 70	1239.00	CX 81	1435.00	CX 94	1882.00	
	CX 40	669.00	CX 57	1021.00	CX 71	1255.00	CX 84	1501.00	CX 105	1882.00	
	CX 41	921.00	CX 60	1077.00	CX 73	1288.00	CX 85	1517.00	CX 120	2118.00	
	CX 51	939.00	CX 67	1186.00	CX 75	1331.00	CX 90	1760.00			
X P A	XPA 732	312.00	XPA 982	417.00	XPA 1257	530.00	XPA 1482	627.00	XPA 1782	753.00	
	XPA 762	324.00	XPA 1000	423.00	XPA 1272	537.00	XPA 1500	633.00	XPA 1800	761.00	
	XPA 782	334.00	XPA 1007	426.00	XPA 1282	540.00	XPA 1532	647.00	XPA 1832	771.00	
	XPA 807	343.00	XPA 1032	438.00	XPA 1307	555.00	XPA 1557	660.00	XPA 1900	800.00	
	XPA 832	354.00	XPA 1060	447.00	XPA 1320	559.00	XPA 1582	670.00	XPA 1950	867.00	
	XPA 857	367.00	XPA 1082	461.00	XPA 1332	565.00	XPA 1600	676.00	XPA 2032	867.00	
	XPA 882	368.00	XPA 1107	471.00	XPA 1345	569.00	XPA 1632	686.00	XPA 2082	881.00	
	XPA 900	386.00	XPA 1132	479.00	XPA 1357	574.00	XPA 1657	700.00	XPA 2240	945.00	
	XPA 910	388.00	XPA 1157	490.00	XPA 1382	587.00	XPA 1682	712.00	XPA 2800	1345.00	
	XPA 932	400.00	XPA 1180	499.00	XPA 1400	593.00	XPA 1700	719.00	XPA 3000	1445.00	
	XPA 950	408.00	XPA 1232	520.00	XPA 1432	606.00	XPA 1732	731.00			
	XPA 957	410.00	XPA 1250	528.00	XPA 1457	616.00	XPA 1757	742.00			
	X P B	XPB 1230	725.00	XPB 1455	840.00	XPB 1900	1095.00	XPB 2360	1638.00	XPB 3000	2081.00
XPB 1237		725.00	XPB 1500	866.00	XPB 1950	1126.00	XPB 2410	1672.00	XPB 3150	2184.00	
XPB 1244		725.00	XPB 1537	890.00	XPB 2000	1152.00	XPB 2500	1738.00	XPB 3550	2460.00	
XPB 1250		725.00	XPB 1575	912.00	XPB 2032	1172.00	XPB 2650	1838.00	XPB 4250	2945.00	
XPB 1300		750.00	XPB 1600	926.00	XPB 2050	1182.00	XPB 2692	1867.00			
XPB 1350		783.00	XPB 1700	982.00	XPB 2240	1347.00	XPB 2800	1942.00			
XPB 1400		811.00	XPB 1800	1039.00	XPB 2286	1514.00	XPB 2840	1970.00			
X P Z	XPZ 710	218.00	XPZ 937	290.00	XPZ 1180	365.00	XPZ 1500	464.00	XPZ 1900	583.00	
	XPZ 762	235.00	XPZ 950	294.00	XPZ 1250	383.00	XPZ 1537	471.00	XPZ 1937	594.00	
	XPZ 772	238.00	XPZ 962	297.00	XPZ 1262	389.00	XPZ 1587	487.00	XPZ 1950	597.00	
	XPZ 787	245.00	XPZ 987	306.00	XPZ 1270	391.00	XPZ 1612	496.00	XPZ 1987	607.00	
	XPZ 800	250.00	XPZ 1000	310.00	XPZ 1287	396.00	XPZ 1637	503.00	XPZ 2000	647.00	
	XPZ 825	256.00	XPZ 1037	313.00	XPZ 1312	403.00	XPZ 1662	510.00	XPZ 2120	647.00	
	XPZ 837	260.00	XPZ 1060	324.00	XPZ 1320	404.00	XPZ 1687	519.00			
	XPZ 850	265.00	XPZ 1080	332.00	XPZ 1362	420.00	XPZ 1700	523.00			
	XPZ 862	267.00	XPZ 1087	332.00	XPZ 1400	433.00	XPZ 1737	530.00			
	XPZ 875	271.00	XPZ 1090	336.00	XPZ 1412	435.00	XPZ 1750	536.00			
	XPZ 887	273.00	XPZ 1112	343.00	XPZ 1437	442.00	XPZ 1762	543.00			
	XPZ 912	280.00	XPZ 1137	353.00	XPZ 1462	450.00	XPZ 1800	554.00			
	XPZ 925	286.00	XPZ 1162	359.00	XPZ 1487	457.00	XPZ 1837	564.00			

Authorised Dealer:
SHREE BHAGAWATI TRADING

Shop no. 1, shakti chamber 1,
Lalpar, Morbi -363 642
Mob. 99252 23579

Works & Corporate Office
ContiTech India Private Limited
Badkhalsa, Distt. Sonapat - 131 029
Haryana, India.
Email: Industry.sales@ptg.contitech.in
customer01.support@ptg.contitech.in
Website: www.contitech.de
www.contitechindia.com
Tel: 0130-2216210, +91 9996600827

Branch_Sales_office
● Ahmedabad
Mobile.No. 8238211984
Ahmedabad.sales@ptg.contitech.in
● Chennai
Mobile.No.7358299125
Chennai.sales@ptg.contitech.in

● Delhi
Mobile.No.9953240774
Delhi.sales@ptg.contitech.in
● Kolkata
Mobile.No.9831572982
kolkata.sales@ptg.contitech.in


● Mumbai
Mobile.no.9892053783
Mumbai.sales@ptg.contitech.in

Price List

Power Transmission Components
for the Industry

Power Transmission Group





Continental Corporation – Five Strong Divisions

Rubber Group		Automotive Group		
Tires	ContiTech	Chassis & Safety	Powertrain	Interior

Continental AG

The Continental Corporation is one of the world's leading automotive industry suppliers offering comprehensive know how in tire and brake technology, vehicle dynamics control, electronics and sensor systems and elastomer technology. More than 220,137 employees work in nearly 427 manufacturing facilities, research centers and test tracks for the customers - world wide.

Division ContiTech

High-tech products and systems, combinations of rubber, plastics and other materials plus electronics: this is what ContiTech stands for. We are a development partner and OEM for all major industries from automotive via railway and aerospace engineering to machinery and equipment and construction. The seven business units including ContiTech Power Transmission Group - and their specialist market segments focus on the needs of their customers and markets.

ContiTech Power Transmission Group is a developer, manufacturer and supplier of power transmission belts, components and complete belt drive systems - for motor vehicles, machinery and equipment - and is in demand around the world as a development and service partner for original equipment and spares business.



Dual Duty Taper Bush Pulleys (Including Bushes)

For Belt Profile A / SPA															GST extra		
1A / SPA			2A / SPA			3A / SPA			4A / SPA			5A / SPA			6A / SPA		
PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)
80	1108	648	80	1108	749	80	1210	873									
85	1108	723	85	1108	777	85	1210	899									
90	1108	728	90	1108	803	90	1610	947	90	1615	1140	90	1615	1258			
95	1210	809	95	1610	943	95	1610	990	95	1615	1156	95	1615	1285			
100	1610	861	100	1610	947	100	1610	1005	100	1615	1194	100	1615	1365	100	1615	1440
106	1610	873	106	1610	958	106	1610	1070	106	1615	1236	106	2012	1509	106	2012	1675
112	1610	878	112	1610	1018	112	2012	1253	112	2012	1414	112	2012	1563	112	2012	1713
118	1610	910	118	1610	1059	118	2012	1295	118	2012	1451	118	2012	1606	118	2012	1761
125	1610	1001	125	1610	1124	125	2012	1365	125	2012	1547	125	2012	1707	125	2012	1862
132	1610	1044	132	1610	1162	132	2012	1466	132	2517	1750	132	2517	2023	132	2517	2211
140	1610	1081	140	2012	1414	140	2517	1788	140	2517	2008	140	2517	2184	140	2517	2291
150	1610	1113	150	2012	1509	150	2517	1933	150	2517	2195	150	2517	2382	150	2517	2499
160	1610	1205	160	2012	1632	160	2517	2092	160	2517	2393	160	2517	2570	160	2517	2822
170	1610	1328	170	2012	1767	170	2517	2286	170	2517	2591	170	2517	2800	170	2517	3009
180	1610	1392	180	2012	1873	180	2517	2393	180	2517	2815	180	3020	3367	180	3020	3533
190	2012	1638	190	2012	1980	190	2517	2521	190	3020	3367	190	3020	3565	190	3020	3821
200	2012	1724	200	2517	2424	200	2517	2880	200	3020	3619	200	3020	3854	200	3020	4004
212	2012	1836	212	2517	2473	212	2517	2917	212	3020	3849	212	3020	3993	212	3020	4314
224	2012	2082	224	2517	2510	224	2517	2928	224	3020	4095	224	3020	4395	224	3020	4689
236	2012	2131	236	2517	2559	236	2517	2938	236	3020	4165	236	3020	4454	236	3020	5123
250	2012	2162	250	2517	2613	250	2517	2955	250	3020	4202	250	3020	4652	250	3020	5771
265	2012	2206	265	2517	2773	265	2517	3677	265	3020	4854	265	3020	5385	265	3020	5958
280	2012	2258	280	2517	2912	280	2517	4015	280	3020	5181	280	3535	6878	280	3535	8853
300	2012	2323	300	2517	3009	300	2517	4127	300	3020	5235	300	3535	7087	300	3535	9148
315	2012	2339	315	2517	3169	315	3020	4646	315	3020	5332	315	3535	7965	315	3535	9228
335	2012	2398	335	2517	3377	335	3020	4694	335	3020	5973	335	3535	8784	335	3535	9549
355	2012	2409	355	2517	3457	355	3020	4887	355	3020	6102	355	3535	8976	355	3535	9624
375	2012	2527	375	2517	3661	375	3020	5235	375	3020	6268	375	3535	9153	375	3535	9677
400	2012	2660	400	2517	4105	400	3020	5556	400	3020	6316	400	3535	9217	400	3535	9710
425	2012	2783	425	2517	4330	425	3020	5583	425	3020	6402	425	3535	9249	425	3535	9753
450	2012	2831	450	2517	4432	450	3020	5642	450	3020	6503	450	3535	9265	450	3535	11471
			475	2517	4732	475	3020	5685	475	3020	6600	475	3535	9640	475	3535	11615
			500	2517	5020	500	3020	6642	500	3020	7762	500	3535	11000	500	3535	12354
			530	2517	5256	530	3020	6733	530	3020	8645	530	3535	11267	530	3535	13023
			560	3020	5926	560	3020	6819	560	3535	10539	560	3535	11519	560	3535	13617
			630	3020	7172	630	3020	8447	630	3535	11792	630	3535	13585	630	4040	17038

Note: 1) For Dynamic Balancing add 10% to the List Price.

2) Sizes 95mm and above are with Dual Duty Grooves.



Dual Duty Taper Bush Pulleys (Including Bushes)

For Belt Profile B / SPB															GST extra		
1B / SPB			2B / SPB			3B / SPB			4B / SPB			5B / SPB			6B / SPB		
PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)
100	1610	803	100	1610	1087	100	1610	1188									
106	1610	873	106	1610	1124	106	1610	1339									
112	1610	883	112	1610	1135	112	1610	1343									
118	1610	926	118	1610	1194	118	1610	1403									
125	1610	1001	125	1610	1210	125	1610	1414	125	2012	1750	125	2012	1937			
132	1610	1049	132	1610	1253	132	1610	1509	132	2012	1905	132	2012	2131			
140	1610	1092	140	1610	1333	140	1610	1590	140	2012	2008	140	2012	2254	140	2517	2714
150	1610	1167	150	1610	1451	150	2012	1862	150	2012	2109	150	2517	2622	150	2517	2944
160	1610	1290	160	2012	1728	160	2517	2361	160	2517	2602	160	2517	2944	160	2517	3196
170	1610	1472	170	2012	1905	170	2517	2441	170	2517	2805	170	3020	3351	170	3020	3726
180	1610	1659	180	2012	2045	180	2517	2660	180	2517	3024	180	3020	3619	180	3020	4217
190	2012	2013	190	2517	2484	190	2517	2831	190	2517	3201	190	3020	4015	190	3020	4534
200	2012	2039	200	2517	2757	200	2517	3186	200	3020	3913	200	3020	4320	200	3020	4828
212	2012	2195	212	2517	2944	212	2517	3362	212	3020	4245	212	3020	4635	212	3020	5353
224	2012	2419	224	2517	3136	224	2517	3603	224	3020	4507	224	3020	5048	224	3020	5958
236	2012	2435	236	2517	3313	236	2517	3982	236	3020	4930	236	3020	5765	236	3020	6412
250	2012	2773	250	2517	3586	250	3020	4437	250	3020	5127	250	3020	6370	250	3020	7140
265	2012	3024	265	2517	3614	265	3020	4469	265	3020	5144	265	3535	8458	265	3535	9297
280	2012	3158	280	2517	3623	280	3020	4529	280	3020	5209	280	3535	9009	280	3535	9566
300	2012	3373	300	2517	4030	300	3020	5203	300	3535	7483	300	3535	9046	300	3535	9844
315	2012	3961	315	2517	4111	315	3020	5358	315	3535	8136	315	3535	9131	315	3535	10143
			335	2517	4260	335	3020	6113	335	3535	8575	335	3535	9661	335	3535	10802
			355	3020	4426	355	3020	6177	355	3535	8703	355	3535	9833	355	3535	11032
			375	3020	5385	375	3535	8136	375	3535	9024	375	3535	10577	375	3535	11155
			400	3020	6059	400	3535	8880	400	3535	9409	400	3535	11391	400	3535	12038
			425	3020	6648	425	3535	9329	425	3535	10074	425	3535	12081	425	3535	13247
			450	3020	6959	450	3535	9908	450	3535	10577	450	3535	12718	450	4040	14810
			475	3020	7258	475	3535	10025	475	3535	11187	475	3535	13467	475	4040	15673
			500	3020	7409	500	3535	10802	500	3535	11904	500	3535	13778	500	4040	17134
			530	3020	8458	530	3535	11717	530	3535	13221	530	4040	15673	530	4040	18878
			560	3020	9409	560	3535	12580	560	3535	14323	560	4040	17397	560	4040	19922
			600	3020	10245	600	3535	13938	600	3535	15266	600	4040	18820	600	4040	21513
			630	3030	11187	630	3535	14752	630	3535	17134	630	4040	21812	630	4040	23766
			710	3030	12573	710	3535	16706	710	3535	20013	710	4040	24344	710	4545	26517
			762	3030	13665	762	3535	18071	762	4040	22032	762	4040	27004	762	4545	29327
			800	3030	14827	800	3535	19537	800	4040	25853	800	4040	30151	800	4545	32795
						1000	4040	27721	1000	4040	31516	1000	4545	40770	1000	4545	41708

Note: 1) For Dynamic Balancing add 10% to the List Price.

2) Sizes 160mm and above are with Dual Duty Grooves.

Dual Duty Taper Bush Pulleys (Including Bushes)

For Belt Profile C / SPC															GST extra		Taper Bushes GST inclusive	
3C / SPC			4C / SPC			5C / SPC			6C / SPC			8C / SPC			Bush Size	Price (Rs.)		
PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)				
200	2517	4162	200	3020	4825	200	3535	6779	200	3535	7504	200	3535	9176	1008	323		
212	3020	4766	212	3020	5040	212	3535	7042	212	3535	7998	212	3535	10043	1108	335		
224	3020	5067	224	3535	7052	224	3535	8025	224	3535	8777	224	3535	11184	1210	425		
236	3020	5250	236	3535	7473	236	3535	8556	236	3535	9339	236	3535	11941	1215	472		
250	3020	5954	250	3535	8004	250	3535	9160	250	3535	10058	250	3535	12902	1310	472		
265	3535	8230	265	3535	8682	265	3535	9797	265	3535	10668	265	3535	14021	1610	480		
280	3535	8403	280	3535	9386	280	3535	10632	280	3535	11699	280	3535	15104	1615	535		
300	3535	8645	300	3535	10280	300	3535	11472	300	3535	12944	300	4040	18294	2012	672		
315	3535	8724	315	3535	10957	315	3535	12308	315	3535	13616	315	4040	19634	2517	925		
335	3535	9555	335	3535	11487	335	3535	12781	335	3535	14268	335	4040	21541	2525	1048		
355	3535	9627	355	3535	11735	355	3535	13208	355	3535	14799	355	4040	23045	3020	1268		
375	3535	10579	375	3535	12802	375	3535	13763	375	4040	18031	375	4545	26844	3030	1549		
400	3535	11226	400	3535	12965	400	3535	14183	400	4040	18951	400	4545	28720	3525	2301		
425	3535	11426	425	3535	13527	425	4040	17339	425	4545	22877	425	5050	33444	3535	2926		
450	3535	12161	450	3535	14132	450	4040	18316	450	4545	23638	450	5050	34712	4040	4337		
475	3535	12429	475	3535	14930	475	4040	19303	475	4545	25435	475	5050	36293	4545	6885		
500	3535	12476	500	3535	16202	500	4040	21545	500	4545	27528	500	5050	37802	5050	9564		
530	3535	14898	530	4040	22224	530	4545	27266	530	5050	31427	530	5050	39788				
560	3535	16018	560	4040	23097	560	4545	28373	560	5050	35406	560	5050	41853				
600	4040	19986	600	4545	25946	600	4545	31217	600	5050	38401	600	5050	44492				
630	4545	22209	630	4545	29409	630	5050	35223	630	5050	42783	630	5050	48102				
710	4545	25882	710	4545	32120	710	5050	37511	710	5050	44691	710	5050	49878				
800	5050	29167	800	5050	40256	800	5050	43777	800	5050	51797	800	5050	58450				
900	5050	34485	900	5050	45064	900	5050	51933	900	5050	55869	900	5050	63821				
1000	5050	36199	1000	5050	49169	1000	5050	61247	1000	5050	62024	1000	5050	75435				
1250	5050	42415	1250	5050	66317	1250	5050	74806	1250	5050	86182	1250	5050	100366				

For Belt Profile Z / SPZ															GST extra		
1Z / SPZ			2Z / SPZ			3Z / SPZ			4Z / SPZ			5Z / SPZ			6Z / SPZ		
PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)	PCD (mm)	Bush Size	Price (Rs.)
67	1108	620	67	1108	712	67	1108	867									
71	1108	653	71	1108	728	71	1108	883									
75	1108	669	75	1210	820	75	1210	921									
80	1210	771	80	1210	861	80	1210	947	80	1210	1124						
85	1210	798	85	1610	921	85	1610	1001	85	1610	1178	85	1610	1434			
90	1210	840	90	1610	936	90	1610	1049	90	1610	1210	90	1610	1477	90	1610	1767
95	1210	873	95	1610	990	95	1610	1124	95	1610	1236	95	1610	1552	95	1610	1862
100	1210	936	100	1610	1049	100	1610	1178	100	2012	1360	100	2012	1750	100	2012	2103
112	1610	1018	112	1610	1162	112	2012	1403	112	2012	1590	112	2012	1841	112	2012	2211
125	1610	1124	125	1610	1295	125	2012	1584	125	2012	1782	125	2517	2056	125	2517	2463
132	1610	1188	132	1610	1371	132	2012	1675	132	2012	1884	132	2517	2168	132	2517	2602
140	1610	1285	140	1610	1531	140	2012	1905	140	2012	2184	140	2517	2527	140	2517	3029
150	1610	1381	150	2012	1788	150	2012	2039	150	2517	2446	150	2517	2703	150	2517	3249
160	1610	1728	160	2012	2045	160	2012	2280	160	2517	2682	160	2517	2896	160	2517	3474
180	1610	2066	180	2012	2269	180	2012	2682	180	2517	3169	180	2517	3335	180	2517	4004
200	2012	2602	200	2012	2607	200	2012	3072	200	2517	3726	200	2517	3945	200	2517	4732
224	2012	2912	224	2012	2923	224	2012	3442	224	2517	4170	224	2517	4415	224	2517	5299
250	2012	3201	250	2012	3655	250	2012	4839	250	2517	5481	250	2517	6102	250	2517	7328
315	2012	3896	315	2012	5588	315	2517	6445	315	2517	8221	315	2517	10352	315	2517	12423
355	2012	4395	355	2012	6305	355	2517	7258	355	2517	9260	355	2517	11669	355	2517	13998
400	2012	5256	400	2517	7135	400	2517	8072	400	2517	10524	400	3020	12943	400	3030	15550
			450	2517	8023	450	2517	9084	450	3020	11411	450	3020	14564	450	3030	17493
			500	2517	8645	500	2517	9859	500	3020	12162	500	3020	15255	500	3030	19435
			630	2517	10963	630	2517	12659	630	3020	15726	630	3030	20002	630	3535	25495

Note: 1) For Dynamic Balancing add 10% to the List Price. 2) For C/SPC Pulleys, Sizes 224mm and above are with Dual Duty Grooves

Standard Jaw Couplings

Size	Complete Coupling	Spare Rubber Element	Spare PU Element
	(Rs.)	(Rs.)	(Rs.)
CTJ 075	356	60	110
CTJ 095	516	80	138
CTJ 099	764	105	183
CTJ 100	774	105	183
CTJ 110	1089	133	238
CTJ 150	1315	183	315
CTJ 190	1806	204	360
CTJ 225	2404	266	470

External Spider Aluminium Spacer Couplings

Size	Spacer Length		
	90/100 mm	140 mm	180 mm
	Pilot Bore (Rs.)	Pilot Bore (Rs.)	Pilot Bore (Rs.)
CTJ 095 ES	1466	1739	2116
CTJ 100 ES	1961	2420	2941
CTJ 110 ES	2987	3431	4210
CTJ 150 ES	3808	4674	5851
CTJ 190 ES	4850	5851	9504
CTJ 225 ES	5784	7069	11857

Standard Spacer Couplings

Size	Spacer Length		
	90/100 mm	140 mm	180 mm
	Pilot Bore (Rs.)	Pilot Bore (Rs.)	Pilot Bore (Rs.)
CTJ 095 S	1388	1579	
CTJ 100 S	1884	2172	
CTJ 110 S	2688	3106	3561
CTJ 150 S	3277	4189	4401
CTJ 190 S	4319	5640	5742
CTJ 225 S	5149	6574	7745

External Spider Jaw Couplings

Size	Complete Coupling Pilot Bore (Rs.)	Spare Spider (Rs.)
CTJ 095 E	947	154
CTJ 099 E	1,011	160
CTJ 100 E	1,057	160
CTJ 110 E	1,393	199
CTJ 150 E	1,759	287
CTJ 190 E	2,276	305
CTJ 225 E	2,935	376

Gear Couplings

Size	Full Flexible		Half Rigid	
	Pilot Bore (Rs.)	Finished Bore & Keyway (Rs.)	Pilot Bore (Rs.)	Finished Bore & Keyway (Rs.)
CTG 1	7304	8072	6231	6667
CTG 2	9356	10394	8508	9100
CTG 3	15807	17011	14899	15942
CTG 4	20372	21886	19158	20497
CTG 5	29120	31136	26954	28839
CTG 6	44412	47479	42821	45821
CTG 7	54875	58908	51358	54942
CTG 8	72896	77874		
CTG 9	95111	102206		
CTG 10	146781	157244		
CTG 11	219767	234959		
CTG 12	309968	331552		

Pin Bush Couplings

Size	Complete Coupling		No. of Pins & Bushes Per Set	Spare Bushes (Rs./Set)	Spare Pins (Rs./Set)
	Pilot Bore (Rs.)	Finished Bore & Keyway (Rs.)			
CTB 1	1,016	1,156	3	111	360
CTB 2	1,564	1,759	4	156	480
CTB 2A	2,007	2,209	6	234	720
CTB 3	2,729	2,957	4	264	1,076
CTB 4	3,771	4,066	4	264	1,076
CTB 4A	4,458	4,767	6	396	1,614
CTB 5	5,485	5,867	6	396	1,614
CTB 6	8,157	8,668	8	528	2,152
CTB 6A	8,859	9,359	10	660	2,690
CTB 6B	9,550	10,087	12	792	3,228
CTB 7	14,561	15,463	12	792	3,228
CTB 7A	16,273	17,135	14	924	4,774
CTB 8	19,390	20,490	16	1,056	5,456
CTB 8A	21,536	22,816	18	1,188	6,138
CTB 8B	35,695	37,707	12	2,916	10,632
CTB 9	46,984	49,678	13	3,159	11,518
CTB 9A	55,369	58,641	15	3,645	13,290
CTB 10	58,924	62,299	16	3,888	14,176
CTB 10A	67,985	71,829	17	4,131	18,275
CTB 11	83,825	88,438	20	4,860	21,500

Tyre Couplings

Size	Pilot Bore (Rs.)	Finished Bore & Keyway (Rs.)	Spare Tyre (Rs.)
CTT 40	1540	1750	313
CTT 45	1971	2223	448
CTT 50	2223	2552	512
CTT 60	3090	3485	705
CTT 70	3689	4142	880
CTT 80	4855	5423	1222
CTT 85	6054	6811	1580
CTT 90	6910	7510	1835
CTT 100	8493	9281	2239
CTT 110	10874	11861	2665
TT 120	14641	15913	3267
CTT 140	22336	24211	3784

ContiTech Power Transmission Group – Core Advantages

- ▶ Know-how and reliability for 140 years
- ▶ Parent group with high synergy potentials
- ▶ Stability in growth
- ▶ Concentration on core competencies
- ▶ High-quality products
- ▶ Complete product range with worldwide distribution
- ▶ Leadership in innovations
- ▶ Major emphasis on R&D for material and processing
- ▶ Qualified technical service
- ▶ Close supplier relations



ContiTech – a reliable partner for industry!

Power Transmission Group - Production Plants Worldwide



ContiTech
Antriebssysteme GmbH
Postfach 445
D-30004 Hannover
Phone +49 511 938-71
Fax: +49 511 938-5128
Email: industrie.as@ptg.contitech.id

Works & Corporate Office-India
ContiTech India Private Limited
Badhkhalsa,
Distt.Sonepat-131 029
Haryana, India
Tel.: 0130-2216210
Mobile: +91-9996600827
Email: Industry.sales@ptg.contitech.in
Customer01.support@ptg.contitech.in
Website : www.contitech.de
www.contitechindia.com

Product Range

Power Transmission Products
for the Industry

Power Transmission Group



Continental - Dual Duty Taper Bush Pulleys



- Standard range of metric pulleys conforming to ISO / IS groove specifications and run out tolerances.
- Dual duty grooves to accommodate Classical - V belts of sections A, B, C & Z as well as Wedge belts of sections SPA, SPB, SPC & SPZ.
- Over 800 standard sizes to cater to all speed ratios up to 1:7 and powers up to 250 kW approx., fitted with Taper Bushes with the advantages of easy fixing and removal.
- Taper Bush Pulleys incorporate high strength material to give optimum mass/strength ratio and are produced on CNC machines to give accuracy and consistency.
- Continental pulleys use close grained Cast Iron conforming to Grade FG - 200 of IS : 210 and are precision machined to close tolerances.
- Tailor made through bored Pulleys for use with D & E section belts and with grooves more than 8 in SPB, SPC sections available on demand for applications involving higher powers.

Continental - Jaw Couplings



- Compact & economical general purpose flexible couplings.
- The Nitrile rubber insert suitable for use in all conditions, unaffected by moisture, grease & oils to withstand temperatures of - 40°C to +100°C. Polyurethane inserts also available optionally for the entire range
- Standard range of couplings covers power ratings from 1.45 kW to 39.75 kW at 1440 rev/min and shaft sizes from 9 mm to 60 mm.
- Available with standard spiders and external fitting Snap Wrap elements. External Snap Wrap elements allow inspection or change of elements without dismantling the couplings from the shafts.
- Spacer versions using standard Cast Iron spacers or light weight Aluminium spacers enable maintenance of Pumps without disturbing the alignment or moving the driving and driven machine. Aluminium spacer couplings have two external elements for added flexibility.
- They have angular mis-alignment capacity up to 1° and parallel mis-alignment capacity up to 0.4 mm depending on the size of the coupling.

Continental - Gear Couplings



- All Steel flexible geared couplings for high power & high torque applications in industries.
- Backlash values chosen to accommodate angular, parallel & axial misalignments.
- Available in 12 sizes for kW ratings up to 1700 per 100 rev/min and bore sizes up to 300 mm for the standard range. Bigger sizes for ratings up to 16000 kW at 100 rev/min available on demand.
- Teeth **induction hardened** for long life in most arduous applications.
- Suitable for Grease & Oil lubrication with 'O' rings for sealing.

Continental - Pin Bush Couplings



- Flexible Couplings for high torque applications using high tensile steel pins and Nitrile rubber bushes.
- Range of 20 sizes with torque ratings up to 24,000 Nm (Power ratings up to 250 kW at 100 rev / min).
- Available for shaft sizes from 12.7 mm to 180 mm.
- Capable of absorbing shock loads, torsional vibrations and some amount of misalignments.

Continental - Tyre Couplings



- Continental Tyre Couplings embody all desirable features of an ideal flexible coupling.
- Backlash free, torsionally soft, accommodates combinations of Parallel, Angular & Axial displacements.
- Highly flexible reinforced tyre not only carries the torque, but also dampens vibrations and torsional oscillations.
- Available with Standard Tyres in high performance compound or Chloroprene Rubber Tyres for heat and oil resistant applications.
- Range of 14 sizes with power ratings up to 57 kW at 100 rev / min to accommodate shafts up to 150 mm.

CONTI-V®

Wrapped V-belts

for demanding drives in all sectors of machine engineering,
classic according to DIN 2215, narrow according to DIN 7753

Classic



Narrow



Fabric jacket

Natural rubber

Polyester tension member

Profile

10Z
13A
17B
22C
32D
40E

Profile

5PZ / 3V
5PA
5PB / 5V
5PC
6V

Properties:

- ▶ conditionally resistant to oil
- ▶ temperature range from -55°C to +70°C
- ▶ electrically conductive to ISO 1813
- ▶ dust-proof
- ▶ suitable for tropical climates

CONTI-V® FO

Raw-edge V-belts

for demanding drives,
according to DIN 2215

Classic



Synthetic rubber bottom section

Embedding compound

Polyester tension member

Cotton cover fabric

Profile

AX
BX
CX

Properties:

- ▶ conditionally resistant to oil
- ▶ temperature range from -30°C to +80°C
- ▶ electrically conductive to ISO 1813
- ▶ dust-proof
- ▶ suitable for tropical climates

CONTI-V® FO ADVANCE

Transversely stiff raw-edge heavy-duty V-belts

for powerful, sustained power transmission with enhanced running smoothness according to DIN 7753

Narrow



Fibre-reinforced synthetic rubber bottom section

Embedding compound

Polyester tension member

Cotton cover fabric

Profile

XPZ / 3VX
XPA
XPB / 5VX
XPC

Properties:

- ▶ conditionally resistant to oil
- ▶ temperature range from -30°C to +80°C
- ▶ electrically conductive to ISO 1813,
- ▶ dust-proof
- ▶ suitable for tropical climates

CONTI-V® MULTIBELT

Banded V-belts

for drives with major load changes

MULTIBELT



Fabric jacket

bottom section Natural rubber

Polyester tension member

backing Natural rubber

Profile

A/HA
B/1-B
C/1-C
SPZ
SPA
SPB
SPC

Properties:

- ▶ conditionally resistant to oil
- ▶ electrically conductive to ISO 1813
- ▶ suitable for tropical climates
- ▶ temperature range from -40°C to +80°C

CONTI-V® MULTIRIB

V-ribbed belts

according to DIN 7867, for high gear ratios, high belt speeds, small pulley diameters and back-tension rollers

MULTIRIB



Synthetic rubber ribs

Embedding compound

Polyester tension member

Polyamide cover fabric

Profile

PJ
PK
PL
PM

Properties:


- conditionally resistant to oil
- temperature range from -30°C to +80°C
- electrically conductive to ISO 1813
- suitable for tropical climates

CONTI® SYNCHROBELT

Timing belts

for the lower and medium power range

MXL - XXH



Profile

MXL
XL
L
H
XH
XXH


HTD



Profile

3M
5M
8M
14M

STD



Polyamide fabric

Polychloroprene teeth

Tension member glass cord

Synthetic rubber backing

Profile

S2M

Properties:


- conditionally resistant to oil
- temperature range, depending on application, from -20°C to +100°C
- suitable for tropical climates
- resistant to aging and ozone

CONTI® SYNCHROCHAIN

Heavy-duty timing belt

for extreme, ultra high-power applications

CTD



Profile

C8M
C14M

Properties:

- ▶ temperature range, depending on application, from -40°C to +80°C
- ▶ suitable for tropical climates
- ▶ resistant to aging and ozone
- ▶ withstands reverse flexing
- ▶ resistant to oils, grease and fuel
- ▶ conditionally resistant to acid and lye
- ▶ raw materials and production are silicone free

CONTI® SYNCHRODRIVE

Open-ended polyurethane timing belts

For material flow, linear and transport technology, entry systems

HTD



Profile

3M
5M
8M
14M


STD



Profile

S3M
S5M
S8M

XL-H




Profile

XL
L
H

Properties:

- ▶ wear-resistant
- ▶ oil- and grease-resistant
- ▶ resistant to fuel and benzene
- ▶ hydrolysis-resistant
- ▶ resistant to UV and ozone
- ▶ temperature range from -30°C to +80°C
- ▶ can be welded with thermoplastics
- ▶ raw materials and production are silicone free

Power Transmission Group - Production Plants Worldwide



ContiTech
Antriebssysteme GmbH
Postfach 445
D-30004 Hannover
Phone +49 511 938-71
Fax:+49 511 938-5128
Email:industrie.as@ptg.contitech.de

Works & Corporate Office-India

ContiTech India Private Limited
Bachkhalsa,
Distt.Sonepat-131 029
Haryana, India
Tel.: 0130-6066827
Mobile:+91-9996600827
Email:industry.sales@ptg.contitech.in
Website : www.contitech.de
www.contitechindia.com

Branch Sales Offices

- Ahmedabad : (079) 27542680, 27545189
- Kolkata : (033) 40638290, 40638009
- Chennai : (044) 28110736, 28110737
- Mumbai : (022) 64520354, 64527154
- Delhi : (011) 25920590, 25920074

- ✉ Ahmedabad.cipl@contitechindia.com
- ✉ Kolkata.cipl@contitechindia.com
- ✉ Chennai.cipl@contitechindia.com
- ✉ Mumbai.cipl@contitechindia.com
- ✉ Nro.cipl@contitechindia.com

Continental  **ContiTech**

RAPTORTM
— HYDRAULIC HOSES —



**ContiTech****RAPTOR™****HYDRAULIC HOSES****RECOMMENDED RETAIL PRICE LIST EFFECTIVE: JULY 01, 2017**

Description	Size (ID)		Size (OD)	Temperature range	Working Pressure		List Price (Rs. / Mtr)
	Inch	mm	mm	Deg. C	Bar	PSI	
DIN / EN853 / SAE 100 R1 AT	1/4	6.30	13.40	-40° C to +100° C	225	3260	217.00
	5/16	8.00	15.00		215	3120	227.00
	3/8	10.00	17.40		180	2610	247.00
	1/2	12.50	20.60		160	2320	283.00
	5/8	16.00	23.70		130	1880	326.00
	3/4	19.00	27.70		105	1520	410.00
	1	25.00	35.60		90	1300	620.00
	1 1/4	31.50	43.50		65	940	727.00
	1 1/2	38.00	50.60		50	720	866.00
	DIN / EN853 / SAE 100 R2 AT	1/4	6.30		15.00	-40° C to +100° C	400
5/16		8.00	16.40	350	5070		282.00
3/8		10.00	19.00	330	4780		317.00
1/2		12.50	21.90	275	3990		348.00
5/8		16.00	25.40	250	3620		462.00
3/4		19.00	29.30	215	3120		529.00
1		25.00	38.10	165	2390		803.00
1 1/4		31.50	48.30	125	1810		1090.00
1 1/2		38.00	54.60	90	1300		1323.00

- All Recommended Retail Prices are maximum and dealers can sell at prices lower than the same
- Prices are exclusive of GST
- Prices, Discount, Terms and Delivery subject to company's conditions of sale and liable to change without notice

Head Office

ContiTech India Private Limited
 203, HM Geneva House, 14 Cunningham Road
 Bangalore - 560052, India
 ☎ +91 80 4169 5343 / 4151 5343, Fax +91 804169 5343

Regional Contacts:

North: ☎ 011 4570 1690 📠 +91 95 9994 8837
 East: ☎ 033 4063 8290 📠 +91 98 3659 0909
 West: ☎ 079 2646 7454 📠 +91 98 2541 9994
 South: ☎ 080 4169 5343 📠 +91 97 3130 4595

🌐 www.contitech.in

Authorised Dealer:

SHREE BHAGAWATI TRADING


Shop no. 1, shakti chamber 1,
 Lalpar, Morbi -363 642
 Mob. 99252 23579



Industrial Hose & Hydraulic Hose


2017 Industrial Hose & Hydraulic Hose Brochure

HYDRAULIC HOSES


Application	Size		Size (OD)	Temperature range	Working Pressure	
	Inch	mm	mm	Deg. C	Bar	PSI
DIN / EN853 / SAE 100 R1 AT 	1/4	6.30	13.40	-40°C to +100°C	225	3260
	5/16	8.00	15.00		215	3120
	3/8	10.00	17.40		180	2610
	1/2	12.50	20.60		160	2320
	5/8	16.00	23.70		130	1880
	3/4	19.00	27.70		105	1520
	1	25.00	35.60		90	1300
	1 1/4	31.50	43.50		65	940
	1 1/2	38.00	50.60		50	720

Inner Tube compound:
Oil resistant synthetic rubber blend
Reinforcement:
1- layer of high tensile carbon steel wire braid
Cover Compound: Weather, abrasion, ozone resistant synthetic rubber blend
Cover Color: Black


Inner Tube compound:
Oil resistant synthetic rubber blend
Reinforcement:
2- layer of high tensile carbon steel wire braid
Cover Compound: Weather, abrasion, ozone resistant synthetic rubber blend
Cover Color: Black

DIN / EN853 / SAE 100 R2 AT 	1/4	6.30	15.00	-40°C to +100°C	400	5800
	5/16	8.00	16.40		350	5070
	3/8	10.00	19.00		330	4780
	1/2	12.50	21.90		275	3990
	5/8	16.00	25.40		250	3620
	3/4	19.00	29.30		215	3120
	1	25.00	38.10		165	2390
	1 1/4	31.50	48.30		125	1810
	1 1/2	38.00	54.60		90	1300


INDUSTRIAL HOSES

Application	Size		Size (OD)	Temperature range	Working Pressure	
	Inch	mm	mm	Deg. C	kg/cm ²	PSI
Carbon Free Hose 	1/2	12.70	21.60	-40°C to +100°C	17.5	250
	3/4	19.05	31.20		17.5	250
	1	25.40	36.50		17.5	250
	1 1/4	31.75	44.70		17.5	250
	1 1/2	38.10	53.00		17.5	250
	2	50.80	65.50		17.5	250


Inner Tube compound: NBR
Reinforcement: Textile Braid
Cover Compound: NBR/PVC
Cover Color: Green

Pneumatic Tool Hose 	1/4	6.35	12.70	-20°C to +82°C	14	200
	5/16	7.94	14.70		14	200
	3/8	9.53	16.70		14	200
	1/2	12.70	20.70		14	200
	5/8	15.88	23.70		14	200
	3/4	19.05	28.20		14	200


Inner Tube compound: NBR/SBR
Reinforcement: Textile Braid
Cover Compound: NBR/SBR
Cover Color: Black

Air / Water Hose 	3/8	9.53	16.70	-20°C to +82°C	12	170
	1/2	12.70	20.70		12	170
	5/8	15.88	23.70		12	170
	3/4	19.05	28.20		12	170
	1	25.40	35.30		12	170
	1 1/4	31.75	43.90		12	170

Inner Tube compound: NBR/SBR
Reinforcement: Textile Braid
Cover Compound: NBR/SBR
Cover Color: Black

Rock Drill Hose 	3/4	19.05	29.00	-30°C to +82°C	21	300
	1	25.40	36.00		21	300
	1 1/4	31.75	44.00		21	300

Inner Tube compound: NBR/SBR
Reinforcement: Textile Braid
Cover Compound: NBR/SBR
Cover Color: Black

Sandblast Hose 	3/4	19.05	38.00	-30°C to +70°C	7	100
	1	25.40	47.50		7	100
	1 1/4	31.75	54.50		7	100
	1 1/2	38.10	60.50		7	100
	2	50.80	73.00		7	100

Inner Tube compound: NR
Reinforcement: Textile Braid
Cover Compound: NBR/SBR
Cover Color: Black

Air & Multipurpose Hoses

Frontier 200 (also available in 250psi and 300psi)

Application

An economical air and water hose, Frontier is for a wide range of industrial, construction and agricultural applications. Available in 200, 250, and 300 psi working pressures.

Construction Tube

EPDM synthetic rubber, RMA Class C (Limited Oil Resistance)

Cover

Black, Red, Yellow, Green or Blue EPDM synthetic rubber RMA Class C (Limited Oil Resistance)

Reinforcement

Spiral synthetic yarn, 2" is braided

Temperature Range

-40°C to 88°C



ID		Nom. OD		Max. WP		Weight	
in.	mm	in.	mm	PSI	Mpa	lb./ft.	kg/m
3/16	4.8	0.44	11.2	200	1.38	0.08	0.12
1/4	6.4	0.50	12.7	200	1.38	0.09	0.13
1/4	7.9	0.58	14.7	200	1.38	0.12	0.18
3/8	9.5	0.67	17.0	200	1.38	0.15	0.22
1/2	12.7	0.81	20.6	200	1.38	0.20	0.30
5/8	15.9	0.97	24.6	200	1.38	0.27	0.40
3/4	19.1	1.12	28.5	200	1.38	0.34	0.51
1	25.4	1.44	36.8	200	1.38	0.54	0.80
1¼	31.8	1.73	44.0	200	1.38	0.75	1.12
1½	38.1	1.98	50.3	200	1.38	0.86	1.28
2	50.8	2.50	63.5	200	1.38	1.16	1.73

Welding Hoses

Single Line Welding Grade R

Application

For welding service. Meets RMA IP-7 standard for Grade R welding hose.

Construction Tube

EPDM synthetic rubber

Cover

EPDM synthetic rubber ribbed surface


Reinforcement

Spiral synthetic yarn

Temperature Range

-40°C to 49°C

ID		Nom. OD		Max. WP		Weight	
in.	mm	in.	mm	PSI	Mpa	lb./ft.	kg/m
3/16	4.8	0.44	11.1	200	1.38	0.08	0.12
1/4	6.4	0.53	13.5	200	1.38	0.10	0.15
5/16	7.9	0.60	15.1	200	1.38	0.11	0.16
3/8	9.5	0.66	16.7	200	1.38	0.13	0.19



Steam Hoses

Flexsteel® 250 Steam

Application

For cleaning, heat control, fire prevention, pumping, thawing, blow-out service, steam pumps and hoists in open-end or permanent installation operations. It is used in refineries, shipyards, chemical plants, steel mills, foundries and heavy industrial applications where high strength is required and where severe environmental conditions are encountered.

Construction Tube

Pyrosyn® synthetic rubber

Cover

Black or red Pyrosyn finish, pin-pricked

Reinforcement

Braided steel wire (3/4" and 1" have 2 steel wire braids)

Temperature Range

-40°C to 232°C



ID		Nom. OD		Max. WP		Weight	
in.	mm	in.	mm	PSI	Mpa	lb./ft.	kg/m
1/2	12.7	1.06	26.9	250	1.72	0.45	0.67
3/4	19.1	1.28	32.5	250	1.72	0.56	0.83
1	25.4	1.63	41.4	250	1.72	0.91	1.35
1¼	31.8	1.88	47.8	250	1.72	1.02	1.52
1½	38.1	2.12	53.8	250	1.72	1.23	1.830
2	50.8	2.70	68.6	250	1.72	1.79	2.66

Hoses for other Applications

Air & Multipurpose

General Purpose
Heavy Duty
Push-on

Petroleum

Aircraft Fueling
Dispensing
Dock
Transfer

Material Handling

Abrasives
Bulk Transfer
Cement & Concrete

Material Handling

Abrasives
Bulk Transfer
Cement & Concrete

Food

Transfer -
Milk / Water
Pharmaceutical / Others
Washdown

Water

Discharge
Suction & Discharge
Washdown

Cleaning Equipment

Chemical Transfer

Marine

Mining

Spray

Steam

Vacuum



ContiTech

RAPTOR™

Head Office

ContiTech India Private Limited
 203, HM Geneva House, 14 Cunningham Road
 Bangalore - 560052
 Karnataka, India
 ☎ 080 4169 5343 / 4151 5343
 📠 080 4169 5343

Regional Contacts

North: ☎ 011 4570 1690 ☎ +91 95 9994 8837
 East: ☎ 033 4063 8290 ☎ +91 98 3659 0909
 West: ☎ 079 2646 7454 ☎ +91 98 2541 9994
 South: ☎ 080 4169 5343 ☎ +91 97 3130 4595

www.contitech.in

Price List

Continental  **ContiTech**

RAPTORTM
— INDUSTRIAL HOSES —



RECOMMENDED RETAIL PRICE LIST EFFECTIVE: JULY 01, 2017

Application	Size (ID)		Size (OD)	Temperature range	Working Pressure		List Price (Rs. / Mtr)
	Inch	mm	mm	Deg. C	kg/cm ²	PSI	
Carbon Free Hose	1/2	12.70	21.60	-40°C to +100°C	17.5	250	246.00
	3/4	19.05	31.20		17.5	250	371.00
	1	25.40	36.50		17.5	250	422.00
	1 1/4	31.75	44.70		17.5	250	555.00
	1 1/2	38.10	53.00		17.5	250	767.00
	2	50.80	65.50		17.5	250	972.00
Pneumatic Tool Hose	1/4	6.35	12.70	-20°C to +82°C	14	200	113.00
	5/16	7.94	14.70		14	200	125.00
	3/8	9.53	16.70		14	200	134.00
	1/2	12.70	20.70		14	200	161.00
	5/8	15.88	23.70		14	200	201.00
	3/4	19.05	28.20		14	200	232.00
	1	25.40	35.30		14	200	292.00
Air / Water Hose	3/8	9.53	16.70	-20°C to +82°C	12	170	108.00
	1/2	12.70	20.70		12	170	144.00
	5/8	15.88	23.70		12	170	180.00
	3/4	19.05	28.20		12	170	217.00
	1	25.40	35.30		12	170	289.00
	1 1/4	31.75	43.90		12	170	445.00
	1 1/2	38.10	50.30		12	170	512.00
	2	50.80	63.50		12	170	735.00
Rock Drill Hose	3/4	19.05	29.00	-30°C to +82°C	21	300	245.00
	1	25.40	36.00		21	300	420.00
	1 1/4	31.75	44.00		21	300	551.00
Sandblast Hose	3/4	19.05	38.00	-30°C to +70°C	7	100	622.00
	1	25.40	47.50		7	100	804.00
	1 1/4	31.75	54.50		7	100	1000.00
	1 1/2	38.10	60.50		7	100	1166.00
	2	50.80	73.00		7	100	1525.00

- All Recommended Retail Prices are maximum and dealers can sell at prices lower than the same
- Prices are exclusive of GST
- Prices, Discount, Terms and Delivery subject to company's conditions of sale and liable to change without notice

Head Office

ContiTech India Private Limited
 203, HM Geneva House, 14 Cunningham Road
 Bangalore - 560052, India
 ☎ +91 80 4169 5343 / 4151 5343, Fax +91 804169 5343

Regional Contacts:

North: ☎ 011 4570 1690 📠 +91 95 9994 8837
 East: ☎ 033 4063 8290 📠 +91 98 3659 0909
 West: ☎ 079 2646 7454 📠 +91 98 2541 9994
 South: ☎ 080 4169 5343 📠 +91 97 3130 4595

Authorised Dealer:
SHREE BHAGAWATI TRADING

Shop no. 1, shakti chamber 1,
 Lalpar, Morbi -363 642
 Mob. 99252 23579

Pin Bush Couplings

Power Transmission Group



Continental Pin Bush Couplings

Features :

These couplings transmit high torques through high tensile steel Pins using fabric reinforced Rubber Bushes to provide flexibility to these couplings to take up some amount of misalignment while absorbing shock loads & torsional vibrations.

Pin Bush Couplings are compact, easy to assemble and do not require any maintenance or lubrication. The Flanges are machined from close grained Cast Iron conforming to Grade FG 200 of IS 210 and are generally available with a pilot bore to permit machining on site though they can also be supplied with finished bore and key way as per customers' requirement. Pins are made from EN 8 steel. Flexible Rubber Bushes made from Nitrile Rubber are unaffected by moisture, grease and oils including non-aromatic and non-ketone solvents and can withstand temperatures from -40°C to $+110^{\circ}\text{C}$.

The standard range covers 20 sizes with power ratings up to 250 kW at 100 rev/min and bores up to 190mm. Sizes above CTB - 11 and in cast steel for special applications involving peripheral speeds above 30 m/sec can also be supplied on demand.

Coupling Selection :

Details required for coupling selection:

- ▶ Type of Driving and Driven Equipment.
- ▶ Power & Speed of Prime Mover (Electric Motor etc.)
- ▶ Speed & Power absorbed by Driven Equipment if available. If not, Motor Power to be used for selection.
- ▶ Diameter of Shafts to be coupled.


Procedure :

- ▶ Service Factor : Select the required Service Factor from the table below.
- ▶ Design Power : Multiply the absorbed power of driven equipment (if available) or Motor Power with Service Factor to get Design Power to be used as a basis for selection of coupling.
- ▶ Coupling Size : After interpolating to arrive at Design power at 100 rev/min, refer to the Power Rating Table, read under the kW at 100 rev/min column till a power exceeding the design power is found. Read to the left and the coupling size required is given in the first column of the table.
- ▶ Bore Size : From the Dimension Table, check if the coupling size selected can accommodate the given Shaft sizes. If not, select the next higher size of coupling.


SERVICE FACTORS

Driven Equipment	Prime Mover (Driving Equipment)				
	Electric Motor Steam Turbine	Steam Engine Water Turbine	IC Engines (Multi- Cylinder)	IC Engine (Single Cylinder) Diesel Engine (Multi Cylinder)	Diesel Engine (Single Cylinder)
Generators, Centrifugal Pumps, Blowers, Line Shafts, Small Fans, Machines with uniform load	1.00	1.25	1.50	2.00	2.50
Welding Generators, Alternators, Textile machinery, Light Machine Tools, Exhausters, Beaters	1.25	1.50	1.75	2.25	2.75
Varying Load Generators, Rotary Compressors, Dryers & Screens, Multi Crank Compressors & Pumps, Pulp Grinders, Shakers, Mining Fans	1.50	1.75	2.00	2.75	3.00
Cement Mills, Wire Rod Mills, Printing Presses (Small)	1.75	2.00	2.25	3.00	3.25
Ball Mills, Tube Mills, Light Rolling Mills, Shearing & Punching Machines, Rock & Stone Crushers, Brick Making Machines, Printing Presses (Large), Hammer Mills, Grinders, Pulverisers, Single Crank Compressors & Pumps, Cranes & Winches, Shovels & Dredges	2.00	2.25	2.50	3.25	3.50
Heavy Rolling Mill Drives, Severe Traction & Haulage Loads, Continuous Prolonged & Reversing Drives	2.25	2.50	2.75	3.50	3.75

CTB - 1 to CTB - 6B




CTB - 7 to CTB - 11



POWER RATINGS & DIMENSIONS

Size	kW Rating at		Bore (mm)		Max. Speed (Rev/min.)	No. of Pins	Dimensions (mm)					
	100 Rev/Min	1440 Rev/Min	Min.	Max.			L	D1	D2	C	G	J
CTB - 1	0.8	11.5	12.7	30	6100	3	79	95	44	38	3	58
CTB - 2	3.3	47	12.7	35	5100	4	99	114	51	48	3	70
CTB - 2A	5.4	77.8	16	45	4400	6	105	130	67	51	3	70
CTB - 3	6.5	93.6	16	50	3600	4	107	160	75	51	5	114
CTB - 4	8.7	125.3	20	70	3000	4	125	191	105	60	5	114
CTB - 4A	13	187.2	20	70	3000	6	125	191	105	60	5	114
CTB - 5	17.5	252	25	80	2600	6	157	225	115	76	5	114
CTB - 6	24.7	355.7	45	100	2300	8	183	254	140	89	5	114
CTB - 6A	30.7	442	45	100	2300	10	183	254	140	89	5	114
CTB - 6B	37	532.8	45	100	2300	12	183	254	140	89	5	114
CTB - 7	43.5	626.4	60	115	1950	12	235	290	170	115	5	114
CTB - 7A	54.5	784.8	60	120	1900	14	235	300	180	115	5	130
CTB - 8	61	878	65	130	1850	16	255	310	195	125	5	130
CTB - 8A	76	1095	65	135	1650	18	265	340	200	130	5	130
CTB - 8B	91.5	1317	70	140	1590	12	276	360	210	135	6	200
CTB - 9	104		80	150	1470	13	316	390	225	155	6	200
CTB - 9A	140		90	160	1400	15	336	410	240	165	6	200
CTB - 10	150		100	170	1300	16	366	440	255	180	6	200
CTB - 10A	190		110	180	1200	17	386	480	270	190	6	212
CTB - 11	250		120	190	1080	20	406	530	285	200	6	212

Power Transmission Group - Production Plants Worldwide



ContiTech
 Antriebssysteme GmbH
 Postfach 445
 D-30004 Hannover
 Phone +49 511 938-71
 Fax: +49 511 938-5128
 Email: industrie.as@ptg.contitech.de

Works & Corporate Office-India

ContiTech India Private Limited
 Badkhalsa,
 Distt. Sonapat-131 029
 Haryana, India
 Tel.: 0130-6066827
 Mobile: +91-9996600827
 Email: industry.sales@ptg.contitech.in
 Website : www.contitech.de
 www.contitechindia.com

Branch Sales Offices

● Ahmedabad	: (079) 27542680, 27545189	✉ Ahmedabad.cipl@contitechindia.com
● Kolkata	: (033) 40638290, 40638009	✉ Kolkata.cipl@contitechindia.com
● Chennai	: (044) 28110736, 28110737	✉ Chennai.cipl@contitechindia.com
● Mumbai	: (022) 64520354, 64527154	✉ Mumbai.cipl@contitechindia.com
● Delhi	: (011) 25920590, 25920074	✉ Nro.cipl@contitechindia.com